

SAFETY DATA SHEET

1. Identification

Sodium Hypochlorite Solution, 10-16% **Product identifier**

Other means of identification

SDS number 502-USA-OLN

Synonyms Tri-Lite® 100, Tri-lite® 150, Tri-lite® 160, Tri-Lite® 200, Sodium Hypochlorite 12.5%, Bleach,

Hypochlorite solution, Liquid bleach, Soda bleach solution, Sodium Hypochlorite 10%

Biocide. Bleaching agent. Disinfectant. Water treatment. Recommended use

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Oltrin Solutions, LLC

PO Box 1195 **Address**

11 E.V. Hogan Drive

Hamlet, NC 28345-1195

Telephone 910-410-1180

E-mail oltrincs@trinitymfq.com

Emergency phone number CHEMTREC (US/Canada) 1-800-424-9300

> CHEMTREC (International) +1 703-527-3887 (collect calls accepted)

2. Hazard(s) identification

Physical hazards Corrosive to metals Category 1 Health hazards Skin corrosion/irritation Category 1

> Serious eye damage/eye irritation Category 1

Specific target organ toxicity, single exposure Category 3 (respiratory tract irritation)

Hazardous to the aquatic environment, **Environmental hazards**

acute hazard

Hazardous to the aquatic environment,

long-term hazard

Category 2

Category 1

Not classified. **OSHA** defined hazards

I ahel elements



DANGER Signal word

Hazard statement May be corrosive to metals. Causes severe skin burns and eye damage. May cause

respiratory irritation. Toxic to aquatic life with long lasting effects.

Precautionary statement

Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe mist or Prevention

vapor. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling.

Keep only in original container. Avoid release to the environment.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Response

IN INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Wash contaminated clothing before reuse. Absorb/collect spillage to prevent material damage.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive Storage

resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Contact with acids liberates toxic gas.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Sodium hypochlorite	7681-52-9	10 - 16
Sodium hydroxide	1310-73-2	0.2 - 1.6
Water	7732-18-5	Balance

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Wash off IMMEDIATELY with plenty of water for at

least 15-20 minutes. Get medical attention immediately. Wash contaminated clothing before

reuse. Call a physician or poison control center immediately.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and delayed

Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. With eye exposure, continue flushing during transport to hospital.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire. Do not use dry extinguishing media that contains ammonium compounds.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Absorb spillage to prevent material damage. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Do not discharge into drains, water courses or onto the ground. Environmental manager must be informed of all major releases. See Section 14 for RQ reporting information.

7. Handling and storage

Precautions for safe handling Wear appropriate personal protective equipment. Do not get in eyes, on skin, on clothing. Use with

adequate ventilation. Observe good industrial hygiene practices. Do not apply heat or direct sunlight. Temperature and product concentration affect product quality and decomposition rates.

Conditions for safe storage. including any incompatibilities Keep container tightly closed. Store in a cool, dry, well-ventilated place. Store in a corrosive resistant container. Consult container manufacturer for additional guidance. Store away from and do not mix with incompatible materials such as acids, oxidizers, organics, reducing agents, and all metals except titanium.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	
US. OSHA Table Z-1 Limits for Air Contamina	ants (29 CFR 1910.1000)		
Sodium hydroxide (CAS 1310-73-2)	PEL	2 mg/m3	
US. ACGIH Threshold Limit Values			
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
US. NIOSH: Pocket Guide to Chemical Hazar	ds		
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
US. Workplace Environmental Exposure Lev	el (WEEL) Guides		
Sodium hydroxide (CAS 7681-52-9)	STEL	2 mg/m3	

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if Eye/face protection

needed.

Skin protection

Wear appropriate chemical resistant gloves. **Hand protection**

Other Wear appropriate chemical resistant clothing. Reports indicate that sodium hypochlorite can react

> with various fabrics usually increasing with concentration. Reactions vary significantly depending on strength of chemical, material, fabric treatment and color of dyes. FRC treated cotton has a stronger response than plain cotton. Poly blend fabrics and meta aramid fabric have a weaker response than natural fibers. Contact the Personal Protective Equipment manufacturer for specific

information about their products.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material General hygiene considerations

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear.

> **Physical state** Liquid. Liquid. Form

Color Pale yellow - Straw colored

Odor Chlorine-like. **Odor threshold** 0.9 mg/m3

Ha 13

Melting point/freezing point -17 °F (-27.22 °C) Initial boiling point and boiling 231.8 °F (111 °C)

range

Flash point Not relevant. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not relevant.

(%)

Flammability limit - upper

Not relevant.

(%)

Explosive limit - lower (%) Not relevant. Explosive limit - upper (%) Not relevant.

12 mmHg @ 20 °C (68 °F) for 12.5 % by weight solution Vapor pressure

Vapor density Not available.

1.163 @ 15.5 °C (60 °F) (Weight % Available Chlorine = 10.34) Relative density

> 1.203 @ 15.5 °C (60 °F) (Weight % Available Chlorine = 12.52) 1.216 @ 15.5 °C (60 °F) (Weight % Available Chlorine = 13.19) 1.255 @ 15.5 °C (60 °F) (Weight % Available Chlorine = 15.14)

Solubility(ies)

100 % Solubility (water)

Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

Bulk density 1.16 - 1.25 g/cm3

> @ 15.5 °C (60 °F) (Weight % Available Chlorine = 10.34) 9.7 lb/gal 10.03 lb/gal @ 15.5 °C (60 °F) (Weight % Available Chlorine = 12.52) 10.14 lb/gal @ 15.5 °C (60 °F) (Weight % Available Chlorine = 13.19) 10.46 lb/gal @ 15.5 °C (60 °F) (Weight % Available Chlorine = 15.14)

Molecular formula NaOCI Molecular weight 74.5 g/mol

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability** Possibility of hazardous

reactions

Conditions to avoid

Hazardous polymerization does not occur.

Contact with incompatible materials. Avoid ultraviolet (UV) light sources. Excessive heat. Reacts violently with strong acids. Acid contact will produce chlorine gas. Amine contact will produce

chloramines.

Incompatible materials Strong oxidizing agents. Acids. Metals. Organic compounds. Ammonia.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Vapors and spray mist may irritate throat and respiratory system and cause coughing.

Skin contact Causes skin burns.

Eye contact Causes eye burns.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion may

produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract.

Symptoms related to the physical, chemical and toxicological characteristics

Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity Occupational exposure to the substance or mixture may cause adverse effects.

Product Species Test Results

Sodium Hypochlorite Solution, 10-16% (CAS Mixture)

Acute

Dermal, LD50 Rabbit 3000 - 10000 mg/kg

Oral, LD50 Rat 8200 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization Not classified.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Sodium hypochlorite (CAS 7681-52-9)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not classified.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified, however droplets of the product may be aspirated into the lungs through ingestion

or vomiting and may cause a serious chemical pneumonia.

Chronic effects Prolonged or repeated overexposure causes lung damage.

Further information Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects. Low in toxicity to avian wildlife.

Product		Species	Test Results
Sodium Hypochlorite S	Solution, 10-16%		
Aquatic			
Crustacea	EC50	Daphnia magna	0.033 - 0.044 mg/l, 48 Hours
	LC50	Daphnia magna	2.1 mg/l, 96 Hours
Fish	LC50	Bluegill (Lepomis macrochirus)	0.6 mg/l, 48 Hours

Persistence and degradability The product contains inorganic compounds which are not biodegradable. Degrades slowly to

sodium chloride, sodium chlorate and oxygen.

Bioaccumulative potentialThe product is not expected to bioaccumulate.

Mobility in soil No data available.

Other adverse effects None known.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN1791

UN proper shipping name Hypochlorite solutions

Transport hazard class 8
Subsidiary risk Label(s) 8
Packing group III

Marine pollutant Yes (Sodium hypochlorite solution)

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3, N34, T4, TP2, TP24

Packaging exceptions 154

RQ 100 lbs. (Sodium Hypochlorite) For gallons of product equivalent to 100 lbs of available sodium

hypochlorite, use the following: 98.7 gallons 10% by weight product, 75.9 gallons for 12.5% by

weight, 72.5 gallons for 13% by weight, 60.8 gallons for 15% by weight.

IATA

UN number UN1791

UN proper shipping name Hypochlorite solution

Transport hazard class
Subsidiary risk
Packing group
III
Environmental hazards
ERG Code
8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1791

UN proper shipping name HYPOCHLORITE SOLUTION

Transport hazard class 8
Subsidiary risk Packing group III

Environmental hazards Yes, MARINE POLLUTANT (Sodium hypochlorite solution)

EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according Not applicable.
To Annex II of MARPOL
73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sodium hydroxide (CAS 1310-73-2) LISTED Sodium hypochlorite (CAS 7681-52-9) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

Yes

SARA Hazard Categories

For Tier II reporting, see Physical and Health hazards listed in Section 2 of this SDS.

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Sodium hydroxide (CAS 1310-73-2) Sodium hypochlorite (CAS 7681-52-9)

US. New Jersey Worker and Community Right-to-Know Act

Sodium hydroxide (CAS 1310-73-2) Sodium hypochlorite (CAS 7681-52-9)

US. Pennsylvania Worker and Community Right-to-Know Law

Sodium hydroxide (CAS 1310-73-2) Sodium hypochlorite (CAS 7681-52-9)

US. Rhode Island RTK

Sodium hydroxide (CAS 1310-73-2) Sodium hypochlorite (CAS 7681-52-9)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINEC	CS) Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	No Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
Mexico	National Inventory of Chemical Substances (INSQ)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Chemical Substance Inventory	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*} A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Version 5 date Revision history	February 15, 2	2018
01-01-15	Initial version	
02-17-15	Section 14	Added information for RQ calculation
03-10-15	Section 14	Added "solution" to name of Marine Pollutant for US DOT transport information
08-21-15	Section 2	Added missing hazard statement "Causes severe skin burns and eye damage"
02-15-18	Section 15	Updated SARA Hazard Categories; Updated International Inventories
Further information	NFPA Hazard	Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe
NEDA ratings		



List of abbreviations LD50: Lethal Dose, 50%.

LC50: Lethal Concentration, 50%. EC50: Effective concentration, 50%. TWA: Time weighted average.

References EPA: AQUIRE database

HSDB® - Hazardous Substances Data Bank

US. IARC Monographs on Occupational Exposures to Chemical Agents

IARC Monographs. Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices (2009)

DisclaimerOltrin Solutions, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the

user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.